

ADDENDUM NO. 1  
 TO  
 CONTRACT DOCUMENTS  
 FOR  
 PONTIAC TRAIL IMPROVEMENTS PROJECT  
 FOR THE  
 CITY OF ANN ARBOR, MICHIGAN

The following changes, additions, and/or deletions shall be made to the Contract Documents for the Pontiac Trail Improvements Project for the City of Ann Arbor, Michigan, Bid No. ITB-4324 on which proposals will be received on, or before 10:00 A.M., Friday, April 11, 2014.

The information contained herein shall take precedence over the original documents and all previous addenda and is appended thereto. This Addendum includes a total of 48 page(s) and 107 drawing(s).

**The Contractor is to acknowledge receipt of this Addendum No. 1 on page ITB-1 of the Contract Documents prior to submitting its Proposal.**

1. Changes in the Contract Documents

Changes in the Contract Documents which are outlined below are referenced to a page or in which they appear conspicuously. The bidder is to take note in its review of the documents and include these changes as they affect work or details in other areas not specifically referenced here.

**PAGE(S)**

**CHANGE**

BF-1-R1                      Replace BF- 1 through BF-7 of the Contract documents with page BF-1-R1  
 To BF-7-R-1                through BF-7-R-1, which is included in this addendum?

The following table summarizes the changes:

<u>Change</u>	<u>Item</u>	<u>Description</u>	<u>Unit</u>	<u>Estimated Quantity</u>
Name	201	Project Supervision, Max. \$45,000	LS	1.0
Name	202	General Conditions, Max. \$45,000	LS	1.0
Name	203	Minor Traffic Control, Modified, Max. \$35,000	LS	1.0
Name	208	Non-woven geotextile fabric, biaxial or triaxial	SY	4940.0
Quantity	217	Conduit, Schedule 80 PVC, 3 inch, Special	LF	9034.0
Quantity	218	Communication Handhole Assembly, Complete	Each	12.0
Quantity	221	HMA Pavement Leveling Course 4E-3	TON	1748.0
Quantity	222	HMA Pavement Wearing Course 5E-3	TON	1311.0
Quantity	231	Remove Concrete Sidewalk & Driveways - Any Thickness	SF	703.0

<u>Change</u>	<u>Item</u>	<u>Description</u>	<u>Unit</u>	<u>Quantity</u>
Name	261	Aggregate Base Course, 21AA Limestone, 6 inch, C.I.P.	CY	708.0
Name	262	Aggregate Base Course, 21AA Limestone,	CY	3448.0
New	294	Gravel Filter Berm	LF	20.0
New	295	Check Dam	LF	180.0
New	297	Culvert End Section, C-76 CL IV RCP, 18 inch	Each	1.0
New	298	Galvanized Corrugated Metal Pipe, 12 inch	LF	150.0
Quantity, Trench Detail	305	8 inch SDR 26 PVC Trench Detail II, Modified	LF	535.0
Quantity	306	8 inch SDR 26 PVC Trench Detail V	LF	250.0
Quantity, Trench Detail	308	10 inch SDR 26 PVC Trench Detail II, Modified	LF	960.0
Quantity, Trench Detail	310	8 inch DIP Sewer Safe w/Polyethylene encasement, Trench Detail I, Modified	LF	1070.0
Trench Detail	311	6 inch DIP Sewer Safe w/Polyethylene encasement, Trench Detail I, Modified	LF	40.0
Quantity, Trench Detail	312	10 inch DIP Sewer Safe w/Polyethylene encasement, Trench Detail I, Modified	LF	580.0
Quantity, Trench Detail	320	12 inch C-76 CL IV RCP, Trench Detail I,	LF	25.0
Quantity, Trench Detail	321	13 inch C-76 CL IV RCP, Trench Detail I,	LF	26.0
Trench Detail	321	18 inch C-76 CL IV RCP, Trench Detail I, Modified	LF	25.0
Trench Detail	400	12 inch, Class 50 DIP w/Polyethylene encasement, Trench Detail I, Modified	LF	71.0
Trench Detail	401	8 inch, Class 50 DIP w/Polyethylene, encasement, Trench Detail I, Modified	LF	1075.0
Trench Detail	402	6 inch Class 50 DIP w/Polyethylene, encasement, Trench Detail I, Modified	LF	18.0
New	403	16 inch Class 50 DIP w/Polyethylene, encasement, Trench Detail I, Modified	LF	8.0
New	421	16 inch x 8 inch Reducer	Each	1.0
New	422	12 inch x 6 inch Reducer	Each	2.0
New	430	24 inch x 12 inch x 12 inch Tee	Each	3.0
Delete	500	<del>Remove Bituminous Pavement</del>	<del>SY</del>	<del>13,750.0</del>
New	583	Temporary Pavement Marking,	LF	600.0

Attachment A Living Wage Ordinance Declaration of Compliance and Living Wage poster were updated.

Attachment B Page numbers were added and the first three pages were replaced with the correct maps.

2. Pre-Bid Meeting Summary and list of attendees is attached.

3. Revised Plan set, which contains several changes that includes but is not limited to the following:

The trench details were corrected and now indicated that the HMA, aggregate and sand subbase is paid for separately.

The correct trench details are called out on all utility plan and profile sheets.

The sidewalk grading was corrected.

The 3 inch schedule 80 PVC conduit was extended north of Dhu Varren and additional locations of communication handholds were added to the plans.

The driveway culvert removals and replacements are now shown on the plans.

The non-woven geotextile fabric that shall be used in the infiltration trench is now called out in the plans.

New landscaping sheets have been added to the plans.

The locations of restrained joints were added to the water main plan and profile sheets.

The locations of the required check dams and gravel filter berms were added to the plans.