ADDENDUM No. 2

ITB No. 4419

South Division Street Resurfacing

Due: February 26, 2016, 10:00 A.M.

The following changes, additions, and/or deletions shall be made to the Invitation to Bid for South Division Street Resurfacing, ITB No. 2, on which proposals will be received on/or before February 26, 2016, by 10:00 A.M.

The information contained herein shall take precedence over the original documents and all previous addenda (if any), and is appended thereto. **This Addendum includes 6 page(s) and 0 drawing(s).**

Bidder is to acknowledge receipt of this Addendum No. 2, including all attachments (if any) in its Bid by so indicating on pages 1 and 2 of the Invitation to Bid Form. Bids submitted without acknowledgement of receipt of this addendum will be considered nonconforming.

The following forms provided within this ITB Document must be included in submitted bids.

- City of Ann Arbor Prevailing Wage Declaration of Compliance
- City of Ann Arbor Living Wage Ordinance Declaration of Compliance
- Vendor Conflict of Interest Disclosure Form
- City of Ann Arbor Non-Discrimination Ordinance Declaration of Compliance

Bids that fail to provide these completed forms listed above upon bid opening will be rejected as non-responsive and will not be considered for award.

I. CORRECTIONS/ADDITIONS/DELETIONS

Changes to the Bid documents which are outlined below are referenced to a page or Section in which they appear conspicuously. The Bidder is to take note in its review of the documents and include these changes as they may affect work or details in other areas not specifically referenced here.

Section/Page(s) Change

Bid Form/1 and 3 Added maximum limits for items 1, 2 and 62.

Respondents are directed to take note in its review of the documents of the following questions and City responses as they affect work or details in other areas not specifically referenced here.

Section 1 - Schedule of Prices

Project: ITB 4419 - South Division Street Resurfacing Addendum 2

LINE DESCRIPTION	UNIT	ESTIMATED QUANTITY	 UNIT PRICE	AMOUNT (\$)
1 General Conditions, Maximum \$60,000	LS	1	\$ 	
2 Project Supervision, Maximum \$15,000	LS	1	\$ 	
3 Audiovisual Tape Coverage	LS	1	\$ 	
4 Storm Sewer Pipe, Less than 24 Inch, Remove	Ft	56	\$ 	
5 Storm Sewer Structure, Remove	Ea	7	\$ 	
6 Water Main Pipe, 6 Inch, Abandonment	Ft	565	\$ 	
7 Water Main Pipe, 12 Inch, Abandonment	Ft	10	\$ 	
8 6 Gate Valve In Box, Abandon	Ea	2	\$	
9 12 Gate Valve In Box, Abandon	Ea	1	\$ 	
10 Remove Concrete Pavement - Any Thickness	Syd	1870	\$ 	
11 Remove Concrete Curb & Gutter - Any Type	Ft	1989	\$ 	
12 Remove Concrete Sidewalk - Any Thickness	Sft	3275	\$	
13 Embankment, CIP	Cyd	239	\$ 	
14 Excavation, Earth	Cyd	345	\$ 	
15 Granular Material, Cl II	Cyd	138	\$ 	
16 Exploratory Excavation (0-10' Deep) Tr Det I	Ea	5	\$ 	
17 Erosion Control, Inlet Protection, Fabric Drop	Ea	17	\$ 	
18 Aggregate Base, 8 Inch, 21AA	Syd	2135	\$ 	
19 Aggregate Base, C.I.P., 21AA	Cyd	25	\$ 	
20 Storm Sewer, RCP, 12 Inch & SD-TR- I	Ft	72	\$ 	
21 Single Inlet	Ea	6	\$ 	
22 Structure Cover	Lb	12000	\$ 	
23 Adjust Structure Cover	Ea	57	\$ 	
24 Adjust Monument Box	Ea	5	\$ 	
25 Adjust Gate Valve Box	Ea	23	\$ 	
26 Temp Lowering Existing Structure	Ea	57	\$ 	

Include on BF-5

Section 1 - Schedule of Prices

Project: ITB 4419 - South Division Street Resurfacing Addendum 2

LINE DESCRIPTION	UNIT	ESTIMATED QUANTITY	UNIT PRICE	AMOUNT (\$)
27 Temp Lowering Existing Box	Ea	28	\$	
28 Point Existing Structure	Ea	5	\$	
29 Pavement Joint and Crack Repair – Detail 7	Ft	240	\$	
30 Pavement Joint and Crack Repair – Detail 8	Ft	120	\$	
31 HMA, 3E3	Ton	306	\$	
32 HMA, 4E3	Ton	1512	\$	
33 HMA, 5E3	Ton	942	\$	
34 Geosynthetic Paving Layer	Syd	9929	\$	
35 Cold Milling Bituminous Pavement	Ton	3768	\$	
36 HMA Surface, Rem	Syd	1390	\$	
37 Hand Patching, HMA LVSP	Ton	346	\$	
38 HMA, Wedging, 36A	Ton	21	\$ 	
39 Curb & Gutter, Conc, Barrier	Ft	1827	\$ 	
40 Drive Opening, Conc, Type M	Ft	262	\$	
41 Sidewalk, Conc, 8 Inch	Sft	3562	\$	
42 Sidewalk Ramp, Conc, 8 Inch	Sft	1058	\$	
43 Detectable Warning Surface	Sft	160	\$	
44 Detectable Warning Surface, Cast Iron	Sft	80	\$	
45 Protective Fence	Ft	1000	\$	
Pavt Mrkg, Hot-Applied, Thermoplastic, 4 Inch 46 White	Ft	910	\$	
Pavt Mrkg, Hot-Applied, Thermoplastic, 4 Inch 47 Yellow	Ft	314	\$	
Pavt Mrkg, Hot-Applied, Thermoplastic, 6 Inch 48 White	Ft	1903	\$	
Pavt Mrkg, Hot-Applied, Thermoplastic, Symbol 49 White, 24 Crosswalk	Ft	878	\$	
Pavt Mrkg, Hot-Applied, Thermoplastic, Symbol 50 White, 24 Stop Bar	Ft	403	\$	
Pavt Mrkg, Overlay Cold Plastic, Legend White, 51 Only	Ea	4	\$	
Pavt Mrkg, Overlay Cold Plastic, Symbol White, 52 Bike Arrow	Ea	7	\$	

Section 1 - Schedule of Prices

Project: ITB 4419 - South Division Street Resurfacing Addendum 2

LINE DESCRIPTION	UNIT	ESTIMATED QUANTITY		UNIT PRICE	AMOUNT (\$)
Pavt Mrkg, Overlay Cold Plastic, Symbol White,					
53 Bike Sym	Ea	10	\$		
Pavt Mrkg, Overlay Cold Plastic, Symbol White, Le	ft				
54 Arrow	Ea	2	\$		
Pavt Mrkg, Overlay Cold Plastic, Symbol White,				_	
55 Right Arrow	Ea	1	\$		
Pavt Mrkg, Overlay Cold Plastic, Symbol White,					
56 Sharrow Pavt Mrkg, Overlay Cold Plastic, Symbol White,	Ea	3	\$		
57 Thru Arrow	Г-	1	<u>ر</u>		
57 THIU AFFOW	Ea	1	^{\$} _		
58 Recessed Pavt Mrkg, Thermoplastic, Parking	Ea	82	\$		
30 Necessed Fave Winks, Thermophastic, Farking			^у —		
59 Recessing Pavement Markings Longitudinal	Ft	3127	\$		
			· —		
60 Recessing Pavement Markings Transverse	Sft	2144	\$		
61 Recessing Special Pavement Markings	Sft	630	\$		
62 Minor Traffic Control, Maximum \$2,000	LS	1	\$		
63 Traffic Regulator Control	LS	1	\$ <u> </u>		
64 Sign Tuno P. Tomn Driematic Eurn	Sft	1110 F	Ļ		
64 Sign, Type B, Temp, Prismatic, Furn	311	1118.5	^{\$} _		
65 Sign, Type B, Temp, Prismatic, Oper	Sft	1118.5	\$		
			_		
66 Sign, Type B, Temp, Prismatic, Special, Furn	Sft	50	\$		
67 Sign, Type B, Temp, Prismatic, Special, Oper	Sft	50	\$		
	_				
68 Sign Cover	Ea	16	\$ <u> </u>		
60 Lighted Arrow Type C Furn	Ea	2	\$		
69 Lighted Arrow, Type C, Furn	Ld		۶		
70 Lighted Arrow, Type C, Oper	Ea	2	\$		
			Ť —		
71 Sign, Portable, Changeable Message, Furn	Ea	4	\$		
72 Sign, Portable, Changeable Message, Oper	Ea	4	\$		
73 Plastic Drum, High Intensity, Lighted, Furn	Ea	183	\$ <u> </u>		
74 86 67 8	F.	402	_		
74 Plastic Drum, High Intensity, Lighted, Oper	Ea	183	\$ <u> </u>		
75 Channelizing Device, 42 inch, Furn	Ea	48	\$		
7.5 Channenzing Device, 42 men, Fum	La	40	٠ —		
76 Channelizing Device, 42 inch, Oper	Ea	48	\$		
Barricade, Type III, High Intensity, Double Sided,			_		
77 Lighted, Furn	Ea	7	\$		
Barricade, Type III, High Intensity, Double Sided,				_	
78 Lighted, Oper	Ea	7	\$		

Section 1 - Schedule of Prices

Project: ITB 4419 - South Division Street Resurfacing Addendum 2

LINE DESCRIPTION	UNIT	ESTIMATED QUANTITY	_	UNIT PRICE	AMOUNT (\$)
79 Pavt Mrkg, Temp, Type R, 24 Inch, White	Ft	420	\$_		
80 Slope Restoration	Syd	143	\$_		
81 Project Clean-Up	LS	1	\$_		
82 Handhole Assembly, 12 Inch X 18 Inch	Ea	2	\$_		
83 Handhole Assembly, 17 Inch X 30 Inch	Ea	2	\$_		
84 Handhole Assembly, 24 Inch X 36 Inch	Ea	2	\$_		
Class 50 DIP W/ Polyethylene Wrap, 4 Inch & SD-1	Ft	10	\$_		
Class 50 DIP W/ Polyethylene Wrap, 6 Inch & SD-1 86 I	Ft	18	\$_		
Class 50 DIP W/ Polyethylene Wrap, 8 Inch & SD-187 I	Ft	54	\$		
Class 50 DIP W/ Polyethylene Wrap, 12 Inch & SD-88 TR-I	- Ft	118	\$		
89 DIP, 8 Inch 45 Degree Bend	Ea	2	\$		
90 DIP, 8 Inch 22.5 Degree Bend	Ea	2	\$		
91 DIP, 12 Inch 45 Degree Bend	Ea	2	\$		
92 DIP, 12 Inch 22.5 Degree Bend	Ea	2	\$		
93 DIP, 6 X 8 Reducer	Ea	1	\$		
94 DIP, 6 X 12 Reducer	Ea	1	\$		
95 DIP, 6 X 6 X 6 Tee	Ea	1	\$_		
96 DIP, 8 X 12 X 12 Tee	Ea	1	\$_		
97 12 Gate Valve In Well	Ea	2	\$_		
98 Excavate & Backfill For Water Service Tap And Lea	nd Ft	590	\$_		
99 Fire Hydrant Assembly	Ea	1	\$_		
100 Fire Hydrant Assembly, Remove	Ea	1	\$_		
101 Line Stop, 4 Inch, Temp	Ea	2	\$_		
102 Line Stop, 6 Inch, Temp	Ea	3	\$_		
103 SDR 35 PVC Sanitary Service Lead, 4 Inch	Ft	88			

Section 1 - Schedule of Prices

Project: ITB 4419 - South Division Street Resurfacing Addendum 2

Total From BF-1	\$
Total From BF-2	\$
Total From BF-3	\$
Total From BF-4	\$
Total Base Bid	\$